


| REV | DESCRIPTION | DATE | ENGINEER |
|-----|-------------|----------|----------|
| C | ECN # 5361 | 7/9/2014 | RF |

| PT. NO. | CONN. "A" | CONN. "B" | CONNECTOR | "X" LENGTH |
|-----------|-----------------|------------------------|----------------|------------|
| 515109140 | 68 PIN FML SCSI | 68 PIN ML VHDCI OFFSET | AMP # 787801-1 | 18.00 |
| 515109141 | 68 PIN FML SCSI | 68 PIN ML VHDCI OFFSET | AMP # 787801-1 | 36.00 |

CUSTOMER DRAWING



QP PCB STD CABLE ASSEMBLY

DWG.NO. 414715166

REV C

| | | | |
|--------|------------|-----------------|--------------|
| SIZE B | SCALE NONE | CAGE CODE 18117 | SHEET 1 OF 1 |
|--------|------------|-----------------|--------------|

NOTES:

1. FOR APPLICATION USE AND CARE INFORMATION CONSULT VPC USERS GUIDE @ WWW.VPC.COM

2. Pinout is Pin 1 to Pin 1, Pin 2 to Pin 2, etc.

3. Twisted pairs are Pins 1 & 2, Pins 3 & 4, etc.

RELATIVE CONNECTOR POSITIONS
AND WIRE ROUTING ARE GENERIC
AND MAY VARY WITH PINOUT

DIMENSIONS ARE SHOWN AS:
[MILLIMETERS]
INCHES