



THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED.

REV	DESCRIPTION	DATE	ENGINEER
A	ORIGINAL RELEASE #12576	5/16/2022	L SALE
B	ECN #12732	7/21/2022	L SALE



PART NUMBER	LENGTH
VFLXXXXXX-020	20"
VFLXXXXXX-036	36"
VFLXXXXXX-048	48"
VFLXXXXXX-060	60"
VFLXXXXXX-072	72"

68PN FML SCSI
MATING FACE



NOTES:
1 MARK IN APPROXIMATE AREA AS SHOWN "VFL122124-XXX REV []"

DIMENSION DESIGNATOR LABELS PER ES6 UNLESS OTHERWISE SPECIFIED.		TORQUE ALL SCREWS PER ES2 UNLESS OTHERWISE SPECIFIED.			
VPC BREAKOUT TOLERANCES UNLESS SPECIFIED REFERENCE ENGINEERING SPECIFICATION 4		DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.			
IF	THEN	RELATIVE CONNECTOR POSITIONS AND WIRE ROUTING ARE GENERIC AND MAY VARY WITH PINOUT		VFLSIG 68PN SCSI FML TO QP DWG. NO. VFL122124	
BUNDLE SIZE IS SMALLER THAN THE CONNECTOR ENVELOPE & STRAIN RELIEF IS OFFSET	3.50 +/- 1.00	TOLERANCES UNLESS SPECIFIED NOMINAL LENGTH TOLERANCE 0 - 11.99" +1.00/-0.00 12.00 - 59.99" +2.00/-1.00 60.00 - 119.99" +4.00/-1.00 120.00 - 299.99" +6.00/-1.00 300.00" - UP +5 %/-1.00			
BUNDLE SIZE IS SMALLER THAN THE CONNECTOR ENVELOPE & STRAIN RELIEF IS CENTERED	4.50 +/- 1.00			SIZE	SCALE
BUNDLE SIZE IS LARGER THAN THE CONNECTOR ENVELOPE	5.50 +/- 1.00			CAGE CODE	SHEET
				B	NONE
				18117	1 OF 1
				REV	B

Run #	From Location (Pin)	From Signal Desc	Wire AWG	Wire Color (Madison)	Wire Group (PAIR)	To Location (Conn-Pin)
1	1	-	28 TP	Pink/Brown	1	610138216
2	2	-	↑	Brown/Pink	1	610138216
3	3	-	28 TP	Orange/Brown	2	610138216
4	4	-	↑	Brown/Orange	2	610138216
5	5	-	28 TP	Yellow/Brown	3	610138216
6	6	-	↑	Brown/Yellow	3	610138216
7	7	-	28 TP	Green/Brown	4	610138216
8	8	-	↑	Brown/Green	4	610138216
9	9	-	28 TP	Blue/Brown	5	610138216
10	10	-	↑	Brown/Blue	5	610138216
11	11	-	28 TP	Green/White	6	610138216
12	12	-	↑	White/Green	6	610138216
13	13	-	28 TP	Violet/Brown	7	610138216
14	14	-	↑	Brown/Violet	7	610138216
15	15	-	28 TP	Gray/Brown	8	610138216
16	16	-	↑	Brown/Gray	8	610138216
17	17	-	28 TP	Orange/Pink	9	610138216
18	18	-	↑	Pink/Orange	9	610138216
19	19	-	28 TP	Yellow/Pink	10	610138216
20	20	-	↑	Pink/Yellow	10	610138216
21	21	-	28 TP	Green/Pink	11	610138216
22	22	-	↑	Pink/Green	11	610138216
23	23	-	28 TP	Blue/Pink	12	610138216
24	24	-	↑	Pink/Blue	12	610138216
25	25	-	28 TP	Violet/Pink	13	610138216
26	26	-	↑	Pink/Violet	13	610138216
27	27	-	28 TP	Gray/Pink	14	610138216
28	28	-	↑	Pink/Gray	14	610138216
29	29	-	28 TP	Violet/Orange	15	610138216
30	30	-	↑	Orange/Violet	15	610138216
31	31	-	28 TP	Blue/White	16	610138216
32	32	-	↑	White/Blue	16	610138216
33	33	-	28 TP	Violet/White	17	610138216
34	34	-	↑	White/Violet	17	610138216
35	35	-	28 TP	Gray/White	18	610138216
36	36	-	↑	White/Gray	18	610138216
37	37	-	28 TP	Brown/Tan	19	610138216
38	38	-	↑	Tan/Brown	19	610138216
39	39	-	28 TP	Pink/Tan	20	610138216
40	40	-	↑	Tan/Pink	20	610138216
41	41	-	28 TP	Pink/White	21	610138216
42	42	-	↑	White/Pink	21	610138216
43	43	-	28 TP	Orange/Tan	22	610138216
44	44	-	↑	Tan/Orange	22	610138216
45	45	-	28 TP	Orange/White	23	610138216
46	46	-	↑	White/Orange	23	610138216
47	47	-	28 TP	White/Brown	24	610138216
48	48	-	↑	Brown/White	24	610138216
49	49	-	28 TP	Yellow/Tan	25	610138216
50	50	-	↑	Tan/Yellow	25	610138216

Run #	From Location (Pin)	From Signal Desc	Wire AWG	Wire Color (Madison)	Wire Group (PAIR)	To Location (Conn-Pin)
51	51	-	28 TP	Green/Tan	26	610138216
52	52	-	↑	Tan/Green	26	610138216
53	53	-	28 TP	Blue/Tan	27	610138216
54	54	-	↑	Tan/Blue	27	610138216
55	55	-	28 TP	White/Tan	28	610138216
56	56	-	↑	Tan/White	28	610138216
57	57	-	28 TP	Yellow/White	29	610138216
58	58	-	↑	White/Yellow	29	610138216
59	59	-	28 TP	Violet/Tan	30	610138216
60	60	-	↑	Tan/Violet	30	610138216
61	61	-	28 TP	Yellow/Orange	31	610138216
62	62	-	↑	Orange/Yellow	31	610138216
63	63	-	28 TP	Green/Orange	32	610138216
64	64	-	↑	Orange/Green	32	610138216
65	65	-	28 TP	Blue/Orange	33	610138216
66	66	-	↑	Orange/Blue	33	610138216
67	67	-	28 TP	Gray/Tan	34	610138216
68	68	-	↑	Tan/Gray	34	610138216