


3		2		1	
THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED.		REV	DESCRIPTION	DATE	ENGINEER
		A	ORIGINAL RELEASE #12576	5/16/2022	L SALE



1 MARK IN APPROXIMATE AREA AS SHOWN "VFL128124-XXX REV []"

NOTES:

DIMENSION DESIGNATOR LABELS PER ES6 UNLESS OTHERWISE SPECIFIED.		TORQUE ALL SCREWS PER ES2 UNLESS OTHERWISE SPECIFIED.		 Virginia Panel Corporation	
VPC BREAKOUT TOLERANCES UNLESS SPECIFIED REFERENCE ENGINEERING SPECIFICATION 4		DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.			
IF	THEN	RELATIVE CONNECTOR POSITIONS AND WIRE ROUTING ARE GENERIC AND MAY VARY WITH PINOUT		VFLSIG 96PN SCSI FML TO QP	
BUNDLE SIZE IS SMALLER THAN THE CONNECTOR ENVELOPE & STRAIN RELIEF IS OFFSET	3.50 +/- 1.00	TOLERANCES UNLESS SPECIFIED			
		NOMINAL LENGTH	TOLERANCE	DWG.NO. VFL128124	
		0 - 11.99"	+1.00/-0.00		
BUNDLE SIZE IS SMALLER THAN THE CONNECTOR ENVELOPE & STRAIN RELIEF IS CENTERED	4.50 +/- 1.00	12.00 - 59.99"	+2.00/-1.00	REV A	
		60.00 - 119.99"	+4.00/-1.00		
BUNDLE SIZE IS LARGER THAN THE CONNECTOR ENVELOPE	5.50 +/- 1.00	120.00 - 299.99"	+6.00/-1.00	SIZE B	
		300.00" - UP	+5 %/-1.00		
				SCALE NONE	CAGE CODE 18117
				SHEET 1 OF 1	

Run #	From Location (Pin)	From Signal Desc	Wire AWG	Wire Color	Wire Group (PAIR)	To Location (Conn-Pin)
1	1	-	28 T/P	WHT/TAN	1	610138216
2	2	-	↑	TAN/WHT	1	610138216
3	3	-	28 T/P	WHT/BRN	2	610138216
4	4	-	↑	BRN/WHT	2	610138216
5	5	-	28 T/P	WHT/PNK	3	610138216
6	6	-	↑	PNK/WHT	3	610138216
7	7	-	28 T/P	WHT/ORN	4	610138216
8	8	-	↑	ORN/WHT	4	610138216
9	9	-	28 T/P	WHT/YEL	5	610138216
10	10	-	↑	YEL/WHT	5	610138216
11	11	-	28 T/P	WHT/GRN	6	610138216
12	12	-	↑	GRN/WHT	6	610138216
13	13	-	28 T/P	WHT/BLU	7	610138216
14	14	-	↑	BLU/WHT	7	610138216
15	15	-	28 T/P	WHT/VIO	8	610138216
16	16	-	↑	VIO/WHT	8	610138216
17	17	-	28 T/P	WHT/GRY	9	610138216
18	18	-	↑	GRY/WHT	9	610138216
19	19	-	28 T/P	TAN/BRN	10	610138216
20	20	-	↑	BRN/TAN	10	610138216
21	21	-	28 T/P	TAN/PNK	11	610138216
22	22	-	↑	PNK/TAN	11	610138216
23	23	-	28 T/P	TAN/ORN	12	610138216
24	24	-	↑	ORN/TAN	12	610138216
25	25	-	28 T/P	TAN/YEL	13	610138216
26	26	-	↑	YEL/TAN	13	610138216
27	27	-	28 T/P	TAN/GRN	14	610138216
28	28	-	↑	GRN/TAN	14	610138216
29	29	-	28 T/P	TAN/BLU	15	610138216
30	30	-	↑	BLU/TAN	15	610138216
31	31	-	28 T/P	TAN/VIO	16	610138216
32	32	-	↑	VIO/TAN	16	610138216
33	33	-	28 T/P	TAN/GRY	17	610138216
34	34	-	↑	GRY/TAN	17	610138216
35	35	-	28 T/P	BRN/PNK	18	610138216
36	36	-	↑	PNK/BRN	18	610138216
37	37	-	28 T/P	BRN/ORN	19	610138216
38	38	-	↑	ORN/BRN	19	610138216
39	39	-	28 T/P	BRN/YEL	20	610138216
40	40	-	↑	YEL/BRN	20	610138216
41	41	-	28 T/P	BRN/GRN	21	610138216
42	42	-	↑	GRN/BRN	21	610138216
43	43	-	28 T/P	BRN/BLU	22	610138216
44	44	-	↑	BLU/BRN	22	610138216
45	45	-	28 T/P	BRN/VIO	23	610138216
46	46	-	↑	VIO/BRN	23	610138216
47	47	-	28 T/P	BRN/GRY	24	610138216
48	48	-	↑	GRY/BRN	24	610138216
49	49	-	28 T/P	PNK/ORN	25	610138216
50	50	-	↑	ORN/PNK	25	610138216

Run #	From Location (Pin)	From Signal Desc	Wire AWG	Wire Color	Wire Group (PAIR)	To Location (Conn-Pin)
51	51	-	28 T/P	PNK/YEL	26	610138216
52	52	-	↑	YEL/PNK	26	610138216
53	53	-	28 T/P	PNK/GRN	27	610138216
54	54	-	↑	GRN/PNK	27	610138216
55	55	-	28 T/P	PNK/BLU	28	610138216
56	56	-	↑	BLU/PNK	28	610138216
57	57	-	28 T/P	PNK/VIO	29	610138216
58	58	-	↑	VIO/PNK	29	610138216
59	59	-	28 T/P	PNK/GRY	30	610138216
60	60	-	↑	GRY/PNK	30	610138216
61	61	-	28 T/P	ORN/YEL	31	610138216
62	62	-	↑	YEL/ORN	31	610138216
63	63	-	28 T/P	ORN/GRN	32	610138216
64	64	-	↑	GRN/ORN	32	610138216
65	65	-	28 T/P	ORN/BLU	33	610138216
66	66	-	↑	BLU/ORN	33	610138216
67	67	-	28 T/P	ORN/VIO	34	610138216
68	68	-	↑	VIO/ORN	34	610138216
69	69	-	28 T/P	ORN/GRY	35	610138216
70	70	-	↑	GRY/ORN	35	610138216
71	71	-	28 T/P	YEL/GRN	36	610138216
72	72	-	↑	GRN/YEL	36	610138216
73	73	-	28 T/P	YEL/BLU	37	610138216
74	74	-	↑	BLU/YEL	37	610138216
75	75	-	28 T/P	YEL/VIO	38	610138216
76	76	-	↑	VIO/YEL	38	610138216
77	77	-	28 T/P	YEL/GRY	39	610138216
78	78	-	↑	GRY/YRL	39	610138216
79	79	-	28 T/P	GRN/BLU	40	610138216
80	80	-	↑	BLU/GRN	40	610138216
81	81	-	28 T/P	GRN/VIO	41	610138216
82	82	-	↑	VIO/GRN	41	610138216
83	83	-	28 T/P	GRN/GRY	42	610138216
84	84	-	↑	GRY/GRN	42	610138216
85	85	-	28 T/P	BLU/VIO	43	610138216
86	86	-	↑	VIO/BLU	43	610138216
87	87	-	28 T/P	BLU/GRY	44	610138216
88	88	-	↑	GRY/BLU	44	610138216
89	89	-	28 T/P	VIO/GRY	45	610138216
90	90	-	↑	GRY/VIO	45	610138216
91	91	-	28 T/P	WHT/RED	46	610138216
92	92	-	↑	RED/WHT	46	610138216
93	93	-	28 T/P	WHT/BLK	47	610138216
94	94	-	↑	BLK/WHT	47	610138216
95	95	-	28 T/P	TAN/RED	48	610138216
96	96	-	↑	RED/TAN	48	610138216