

4

3

2

1

DO NOT SCALE DRAWING


THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS

REV	DESCRIPTION	DATE	ENGR
D	ECN #4630	5/16/13	L LOCKRIDGE



D

D



C

C



SHADED REGION REPRESENTS RECOMMENDED MACHINABLE AREA ON COVER. FEATURES OUTSIDE OF THIS REGION MAY INTERFERE WITH EXISTING COMPONENTS OR FEATURES.

B

B

A

A

3. MATERIAL: HOUSING = .06" [1.52] ALUMINUM  
 COVER = .12" [3.05] ALUMINIUM  
 FINISH: HOUSING = PAINT (GRAY)  
 COVER = BLACK ANODIZE

2. USE (8) 4-40 X 1.00" SOCKET HEAD CAP SCREWS INCLUDED FOR FRONT MOUNT ENCLOSURES AND  
 (8) 6-32 X .375" SOCKET HEAD CAP SCREWS INCLUDED FOR REAR MOUNT ENCLOSURES.

1. FOR APPLICATION USE & CARE INFORMATION CONSULT VPC USERS GUIDE @WWW.VPC.COM

NOTES:

410112527

CUSTOMER DRAWING

VIRGINIA PANEL CORPORATION  
WWW.VPC.COM

ENCL ITA 2100S 18 MOD 4"

RELATIVE CONNECTOR POSITIONS  
 AND WIRE ROUTING ARE GENERIC  
 AND MAY VARY WITH PRODUCT  
 DIMENSIONS ARE SHOWN AS:  
 [MILLIMETERS]  
 INCHES

SIZE	CAGE CODE	DWG. NO.	REV
C	18117	413453000	D
SCALE: 1:2		413453000	7/30/99
SHEET		1 OF 1	

4

3

2

1