

4

3





2

1

DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS			
REV	DESCRIPTION	DATE	ENGR
G	ECN #12628	6/9/22	M ECKERT



- 5 [] REPRESENTS CURRENT REVISION LEVEL
 - 4 APPROXIMATE LOCATIONS FOR PIECE PART MOLD CAVITY IDENTIFIER
 - 3 MAX CABLE BUNDLE EFFECTIVE DIAMETER = 0.77 IN
CLAMP CAN BE INVERTED FOR SMALLER CABLE BUNDLES
2. MATERIALS:
 OUTER SHELL COMPONENTS & HANDLE - REINFORCED THERMOPLASTIC
 DECALS - VINYL OVER POLYESTER
 DRIVE SYSTEM - HEAT TREATED BeCu AND BRASS, Ni PLATED
 HARDWARE - STAINLESS STEEL

CUSTOMER DRAWING			
VPC			
i2 Micro iCon, ITA, 168 Pos			
DIMENSIONS ARE SHOWN AS:	SIZE	CAGE CODE	DWG. NO.
[MILLIMETERS]	C	18117	410130101
INCHES			
	SCALE: 1:1	410130101	3/31/10 SHEET 1 OF 1

4

3

2

1