

4

3

2

1

DO NOT SCALE DRAWING


THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS

REV	DESCRIPTION	DATE	ENGR
A	DRAWING ORIGATION - ECN #13521	7/7/23	R HERRON

D

D




Ø.770

[44.20]
1.74

C

C



[124.86]
4.92

[114.27]
4.50

[101.90]
4.01

#4 SCREW - INTERNAL
GROUND LOCATION

[108.20]
4.26


[139.75]
5.50

REMOVABLE COVER FOR
CONTACT WIRING ACCESS

1817-410130126 REV 1.1
PATENTS APPLY. SEE VPC.COM/COMMENT

B

B




POLARIZING FEATURE

CAVITY FOR KEYING KIT, TYP. 2 PLCS.
ACCESSORY P/N 310113461 (2 KEYS PER KIT)
NOT INCLUDED WITH ITA

A

A



ATTACHMENT POINT FOR
PROTECTIVE COVER
(NOT INCLUDED WITH ITA ASSEMBLY)

- 5 [] REPRESENTS CURRENT REVISION LEVEL
- 4 APPROXIMATE LOCATIONS FOR PIECE PART MOLD CAVITY IDENTIFIER
- 3 MAX CABLE BUNDLE EFFECTIVE DIAMETER = 1.67 IN.

2. MATERIALS:
 FRAME & DRIVE KNOB: Ni PLATED ZINC
 BACK SHELL: Ni PLATED ALUMINUM
 DRIVE SYSTEM: BeCu AND BRONZE, Ni PLATED
 HARDWARE: STAINLESS STEEL
 DUST SHIELD : BLACK THERMOPLASTIC WITH EMI FILLER

1. FOR APPLICATION USE & CARE INFORMATION CONSULT VPC USERS GUIDE @WWW.VPC.COM

NOTES:

RELATIVE CONNECTOR POSITIONS
AND WIRE ROUTING ARE GENERIC
AND MAY VARY WITH PRODUCT
DIMENSIONS ARE SHOWN AS:
[MILLIMETERS]
INCHES

CUSTOMER DRAWING			
VIRGINIA PANEL CORPORATION WWW.VPC.COM			
i2 MX ITA ASSEMBLY W/ OVRSZ BACK SHELL			
SIZE C	CAGE CODE 18117	DWG. NO. 410130126	REV A
SCALE: 1:1	410130126	9/12/23	SHEET 1 OF 1

4

3

2

1