

4

3




2

1

DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS			
REV	DESCRIPTION	DATE	ENGR
S	ECN # 15016	5/21/25	RF



5. WHEN LOADING PCBs SIDE-BY-SIDE SOLDER TAILS COULD INTERFERE WITH ADJACENT PCBs.

4 PCB MOUNTING HARDWARE INCLUDED (4-40 FLAT HEAD PHILLIPS).

3. RECOMENDED PCB LAYOUT SHOWN ON PAGE 2. SOLDER SIDE SHOWN.

2 MAXIMUM TORQUE WHEN INSTALLING A PRINTED CIRCUIT BOARD IS 2 IN-LBS. [.225 N-m].

1. FOR APPLICATION USE & CARE INFORMATION CONSULT VPC USERS GUIDE @WWW.VPC.COM
NOTES:

CUSTOMER DRAWING

VIRGINIA PANEL CORPORATION
WWW.VPC.COM

SIGNAL MODULE, RECEIVER, TRIPADDLE
96 POSITION WITH RIGHT ANGLE CONTACTS FOR PCB

DIMENSIONS ARE SHOWN AS:
[MILLIMETERS]
INCHES

SIZE	CAGE CODE	DWG. NO.	REV
C	18117	510104135	S
SCALE: 1:1		510104135	SHEET 1 OF 2

4

3

2

1

4

3

2

1

DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS

REV	DESCRIPTION	DATE	ENGR
S	ECN # 15016	5/21/25	RF

D

D

C


C

B

B

A

A



CUSTOMER DRAWING			
VIRGINIA PANEL CORPORATION WWW.VPC.COM			
SIGNAL MODULE, RECEIVER, TRIPADDLE 96 POSITION WITH RIGHT ANGLE CONTACTS FOR PCB			
SIZE	CAGE CODE	DWG. NO.	REV
C	18117	510104135	S
SCALE: 3:2		DATE	SHEET 2 OF 2

DIMENSIONS ARE SHOWN AS:
[MILLIMETERS]
INCHES

4

3

2

1