

4

3

2

1

DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS

REV	DESCRIPTION	DATE	ENGR
J	ECN #4700	6/28/13	L LOCKRIDGE

D

C

B




A

D

C

B

A



SCREWS USED FOR CLAMPING STRAIN RELIEF TO MODULE SHOULD HAVE A MAXIMUM TORQUE OF 2.5 IN-LBS [.282 N-m]

1. FOR APPLICATION USE & CARE INFORMATION CONSULT VPC USERS GUIDE @WWW.VPC.COM
NOTES:

RELATIVE CONNECTOR POSITIONS AND WIRE ROUTING ARE GENERIC AND MAY VARY WITH PRODUCT
DIMENSIONS ARE SHOWN AS:
[MILLIMETERS]
INCHES

CUSTOMER DRAWING			
VIRGINIA PANEL CORPORATION WWW.VPC.COM			
QP 192 PIN MODULE, STRAIN RELIEF			
SIZE	CAGE CODE	DWG. NO.	REV
C	18117	510109349	J
SCALE: 1:1		510109349	SHEET 1 OF 1

4

3

2

1