

4

3




2

1


DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REVISIONS			
REV	DESCRIPTION	DATE	ENGR
G	ECN #5128	3/11/14	M SNOW



REMOVE BOOT FROM SCREW AND DISCARD BEFORE INSTALLATION INTO RECEIVER TYP. 2 PLCS



3 PIN 1A DESIGNATED BY TRIANGULAR INDICATOR ON FRONT AND WHITE CAVITY BORDERS ON FRONT AND BACK.

2 PHYSICAL CHARACTERISTICS:
WEIGHT: 2.0 OUNCES
MATERIALS:
MODULE BODY (TOP AND BOTTOM HALF) - BLACK LIQUID CRYSTAL POLYMER (LCP)
MOUNTING HARDWARE - STAINLESS STEEL

1. FOR APPLICATION USE & CARE INFORMATION CONSULT VPC USERS GUIDE @WWW.VPC.COM
NOTES:

RELATIVE CONNECTOR POSITIONS AND WIRE ROUTING ARE GENERIC AND MAY VARY WITH PINOUT			
DIMENSIONS ARE SHOWN AS:	SIZE	CAGE CODE	DWG. NO.
[MILLIMETERS]	C	18117	510150115
INCHES			REV G
SCALE: 1:1	510150115	11/18/02	SHEET 1 OF 1

CUSTOMER DRAWING
VIRGINIA PANEL CORPORATION
 WWW.VPC.COM

SIGNAL MODULE, RECEIVER, QUADRAPADDLE
192 POSITION, WIRE CRIMP, UNLOADED

4

3

2

1