


DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VIRGINIA PANEL CORPORATION ENGINEERING IF MORE DETAIL IS REQUIRED.

REV	DESCRIPTION	DATE	ENGINEER
N	ECN # 15282	9/11/25	Z MORRIS



2. MATING MODULE: (1) 510108131
 MATING PATCHCORD: (100) 7-105426000-XXX

1. FOR APPLICATION USE AND CARE INFORMATION CONSULT VPC USERS GUIDE @ WWW.VPC.COM

NOTES:

VPC P/N 540105010X05 WHERE X =	LENGTH XX.XX"
1	20.00" [508]
2	36.00" [914]
6	48.00" [1219]
9	60.00" [1524]
5	72.00" [1829]

RELATIVE CONNECTOR POSITIONS AND WIRE ROUTING ARE GENERIC AND MAY VARY WITH PINOUT

DIMENSIONS ARE SHOWN AS:
 [MILLIMETERS]
 INCHES

CUSTOMER DRAWING



**CBA 200PN ML LFH
 M3 SCR**

DWG.NO. 540105010X05		REV N
SIZE B	SCALE NONE	CAGE CODE 18117
SHEET 1 OF 2		

4

3

2

1

Run #	VPC Location	Wire AWG	Wire Color	T/P #	200 Pin Conn Location	CABLE
1	1	28	PNK/BRN	1	151	8
2	33	28	BRN/RED	1	152	
3	2	28	PNK/GRN	2	153	
4	34	28	GRN/BRN	2	154	
5	3	28	PNK/BLU	3	155	
6	35	28	BLU/BRN	3	156	
7	4	28	BLK/BLU	4	157	
8	36	28	BLU/BLK	4	158	
9	5	28	BLK/GRN	5	159	7
10	37	28	GRN/BLK	5	160	
11	6	28	BLK/YEL	6	161	
12	38	28	YEL/BLK	6	162	
13	7	28	BLK/BLU	7	163	
14	39	28	BLU/BLK	7	164	
15	8	28	BLK/GRN	8	165	
16	40	28	GRN/BLK	8	166	
17	9	28	BLK/YEL	9	167	
18	41	28	YEL/BLK	9	168	
19	10	28	BLK/BLU	10	169	
20	42	28	BLU/BLK	10	170	
21	11	28	BLK/GRN	11	171	5
22	43	28	GRN/BLK	11	172	
23	12	28	BLK/YEL	12	173	
24	44	28	YEL/BLK	12	174	
25	13	28	BLK/BLU	13	175	
26	45	28	BLU/BLK	13	176	
27	14	28	BLK/GRN	14	177	4
28	46	28	GRN/BLK	14	178	
29	15	28	BLK/YEL	15	179	
30	47	28	YEL/BLK	15	180	
31	16	28	PNK/GRY	16	181	3
32	48	28	GRY/RED	16	182	
33	17	28	BLK/BLU	17	183	
34	49	28	BLU/BLK	17	184	2
35	18	28	BLK/GRN	18	185	
36	50	28	GRN/BLK	18	186	
37	19	28	BLK/YEL	19	187	1
38	51	28	YEL/BLK	19	188	
39	20	28	BLK/BLU	20	189	2
40	52	28	BLU/BLK	20	190	
41	21	28	BLK/GRN	21	191	1
42	53	28	GRN/BLK	21	192	
43	22	28	BLK/YEL	22	193	1
44	54	28	YEL/BLK	22	194	
45	23	28	BLK/BLU	23	195	1
46	55	28	BLU/BLK	23	196	
47	24	28	BLK/GRN	24	197	1
48	56	28	GRN/BLK	24	198	
49	25	28	BLK/YEL	25	199	1
50	57	28	YEL/BLK	25	200	

Run #	VPC Location	Wire AWG	Wire Color	T/P #	200 Pin Conn Location	CABLE	
51	65	28	PNK/ORG	26	150	8	
52	97	28	ORG/BRN	26	149		
53	66	28	WHT/GRY	27	148		
54	98	28	GRY/WHT	27	147		
55	67	28	PNK/GRY	28	146		7
56	99	28	GRY/RED	28	145		
57	68	28	PNK/BRN	29	144		
58	100	28	BRN/RED	29	143		
59	69	28	PNK/GRN	30	142		
60	101	28	GRN/BRN	30	141		
61	70	28	PNK/BLU	31	140	6	
62	102	28	BLU/BRN	31	139		
63	71	28	PNK/GRY	32	138		
64	103	28	GRY/RED	32	137		
65	72	28	PNK/BRN	33	136		
66	104	28	BRN/RED	33	135		
67	73	28	PNK/GRN	34	134	5	
68	105	28	GRN/BRN	34	133		
69	74	28	PNK/GRY	35	132		
70	106	28	GRY/RED	35	131		
71	75	28	PNK/BRN	36	130		4
72	107	28	BRN/RED	36	129		
73	76	28	PNK/GRN	37	128		
74	108	28	GRN/BRN	37	127		
75	77	28	PNK/BRN	38	126	3	
76	109	28	BRN/RED	38	125		
77	78	28	PNK/GRN	39	124		
78	110	28	GRN/BRN	39	123	2	
79	79	28	PNK/BLU	40	122		
80	111	28	BLU/BRN	40	121		
81	80	28	PNK/GRY	41	120	1	
82	112	28	GRY/RED	41	119		
83	81	28	PNK/BRN	42	118	2	
84	113	28	BRN/RED	42	117		
85	82	28	PNK/GRN	43	116	1	
86	114	28	GRN/BRN	43	115		
87	83	28	PNK/BLU	44	114	1	
88	115	28	BLU/BRN	44	113		
89	84	28	PNK/GRY	45	112	1	
90	116	28	GRY/RED	45	111		
91	85	28	PNK/BRN	46	110	1	
92	117	28	BRN/RED	46	109		
93	86	28	PNK/GRN	47	108	1	
94	118	28	GRN/BRN	47	107		
95	87	28	PNK/GRY	48	106	1	
96	119	28	GRY/RED	48	105		
97	88	28	PNK/BRN	49	104	1	
98	120	28	BRN/RED	49	103		
99	89	28	PNK/GRN	50	102	1	
100	121	28	GRN/BRN	50	101		

Run #	VPC Location	Wire AWG	Wire Color	T/P #	200 Pin Conn Location	CABLE	
101	129	28	WHT/BRN	51	51	8	
102	161	28	BRN/WHT	51	52		
103	130	28	WHT/GRN	52	53		
104	162	28	GRN/WHT	52	54		
105	131	28	PNK/ORG	53	55		7
106	163	28	ORG/BRN	53	56		
107	132	28	WHT/GRY	54	57		
108	164	28	GRY/WHT	54	58		
109	133	28	WHT/BRN	55	59		
110	165	28	BRN/WHT	55	60		
111	134	28	PNK/BLU	56	61	6	
112	166	28	BLU/BRN	56	62		
113	135	28	PNK/ORG	57	63		
114	167	28	ORG/BRN	57	64		
115	136	28	WHT/GRY	58	65		
116	168	28	GRY/WHT	58	66		
117	137	28	WHT/BRN	59	67	5	
118	169	28	BRN/WHT	59	68		
119	138	28	PNK/BLU	60	69		
120	170	28	BLU/BRN	60	70		
121	139	28	PNK/ORG	61	71		4
122	171	28	ORG/BRN	61	72		
123	140	28	WHT/GRY	62	73		
124	172	28	GRY/WHT	62	74		
125	141	28	PNK/ORG	63	75	3	
126	173	28	ORG/BRN	63	76		
127	142	28	WHT/GRY	64	77		
128	174	28	GRY/WHT	64	78	2	
129	143	28	WHT/BRN	65	79		
130	175	28	BRN/WHT	65	80		
131	144	28	PNK/ORG	66	81	1	
132	176	28	ORG/BRN	66	82		
133	145	28	WHT/GRY	67	83	1	
134	177	28	GRY/WHT	67	84		
135	146	28	WHT/BRN	68	85	1	
136	178	28	BRN/WHT	68	86		
137	147	28	PNK/BLU	69	87	1	
138	179	28	BLU/BRN	69	88		
139	148	28	PNK/ORG	70	89	1	
140	180	28	ORG/BRN	70	90		
141	149	28	WHT/GRY	71	91	1	
142	181	28	GRY/WHT	71	92		
143	150	28	WHT/BRN	72	93	1	
144	182	28	BRN/WHT	72	94		
145	151	28	PNK/BLU	73	95	1	
146	183	28	BLU/BRN	73	96		
147	152	28	PNK/ORG	74	97	1	
148	184	28	ORG/BRN	74	98		
149	153	28	WHT/GRY	75	99	1	
150	185	28	GRY/WHT	75	100		

Run #	VPC Location	Wire AWG	Wire Color	T/P #	200 Pin Conn Location	CABLE	
151	193	28	WHT/BLU	76	50	8	
152	225	28	BLU/WHT	76	49		
153	194	28	WHT/ORG	77	48		
154	226	28	ORG/WHT	77	47		
155	195	28	WHT/GRN	78	46		7
156	227	28	GRN/WHT	78	45		
157	196	28	WHT/BLU	79	44		
158	228	28	BLU/WHT	79	43		
159	197	28	WHT/ORG	80	42		
160	229	28	ORG/WHT	80	41		
161	198	28	WHT/GRN	81	40	6	
162	230	28	GRN/WHT	81	39		
163	199	28	WHT/BLU	82	38		
164	231	28	BLU/WHT	82	37		
165	200	28	WHT/ORG	83	36		
166	232	28	ORG/WHT	83	35		
167	201	28	WHT/BRN	84	34	5	
168	233	28	BRN/WHT	84	33		
169	202	28	WHT/GRN	85	32		
170	234	28	GRN/WHT	85	31		
171	203	28	WHT/BLU	86	30		4
172	235	28	BLU/WHT	86	29		
173	204	28	WHT/ORG	87	28		
174	236	28	ORG/WHT	87	27		
175	205	28	WHT/GRN	88	26	3	
176	237	28	GRN/WHT	88	25		
177	206	28	WHT/BLU	89	24		
178	238	28	BLU/WHT	89	23	2	
179	207	28	WHT/ORG	90	22		
180	239	28	ORG/WHT	90	21		
181	208	28	WHT/GRN	91	20	1	
182	240	28	GRN/WHT	91	19		
183	209	28	WHT/BLU	92	18	1	
184	241	28	BLU/WHT	92	17		
185	210	28	WHT/ORG	93	16	1	
186	242	28	ORG/WHT	93	15		
187	211	28	WHT/GRN	94	14	1	
188	243	28	GRN/WHT	94	13		
189	212	28	WHT/BLU	95	12	1	
190	244	28	BLU/WHT	95	11		
191	213	28	WHT/ORG	96	10	1	
192	245	28	ORG/WHT	96	9		
193	214	28	WHT/BRN	97	8	1	
194	246	28	BRN/WHT	97	7		
195	215	28	WHT/GRN	98	6	1	
196	247	28	GRN/WHT	98	5		
197	216	28	WHT/BLU	99	4	1	
198	248	28	BLU/WHT	99	3		
199	217	28	WHT/ORG	100	2	1	
200	249	28	ORG/WHT	100	1		

CUSTOMER DRAWING - CUSTOMER DRAWING - CUSTOMER DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED.

DWG.NO.		REV	
540105010X05		N	
SIZE	SCALE	CAGE CODE	SHEET
B	NONE	18117	2 OF 2

DO NOT SCALE DRAWING

4

3

2

1