



THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED.		REV	DESCRIPTION	DATE	ENGINEER
		A	ORIGINAL RELEASE ECN # 13947	1/18/2024	LSALE



MATING COMPONENTS		QTY
MODULE	510151105	1
PATCHCORD	7-121024000-036	6
PATCHCORD	7-121424000-036	34

1. FOR APPLICATION USE & CARE INFORMATION CONSULT VPC USERS GUIDE @WWW.VPC.COM

NOTES:

VPC P/N WHERE X =	LENGTH XX.XX"	CUSTOMER DRAWING 	
1	20.00" [508]		
2	36.00" [914]	CBA PXI 78 FML D QP 40/42-739	
6	48.00" [1219]		
9	60.00" [1524]		
5	72.00" [1829]	RELATIVE CONNECTOR POSITIONS AND WIRE ROUTING ARE GENERIC AND MAY VARY WITH PINOUT	
DIMENSIONS ARE SHOWN AS: [MILLIMETERS] INCHES		DWG.NO. 540034050X40	
SIZE B	SCALE NONE	CAGE CODE 18117	REV A SHEET 1 OF 3

Run #	From Location (Conn - Pin)	From Contact	Wire AWG	Wire/Patchcord P/N	Wire Color	Wire Group	To Location (Conn-Pin)	To Contact	Notes
1	P1-A1	610138216	24	7-124424548-OXX	WHT	1	J1-3	960058	
2	P1-A2	610138216	↑	↑	BLK	↑	J1-4	960058	
3	P1-A3	610138216	24	7-124424548-OXX	WHT	2	J1-5	960058	
4	P1-A4	610138216	↑	↑	BLK	↑	J1-6	960058	
5	P1-A5	610138216	24	7-124424548-OXX	WHT	3	J1-7	960058	
6	P1-A6	610138216	↑	↑	BLK	↑	J1-8	960058	
7	P1-A7	610138216	24	7-124424548-OXX	WHT	4	J1-9	960058	
8	P1-A8	610138216	↑	↑	BLK	↑	J1-10	960058	
9	P1-A9	610138216	24	7-124424548-OXX	WHT	5	J1-11	960058	
10	P1-A10	610138216	↑	↑	BLK	↑	J1-12	960058	
11	P1-A11	610138216	24	7-124424548-OXX	WHT	6	J1-13	960058	
12	P1-A12	610138216	↑	↑	BLK	↑	J1-14	960058	
13	P1-A13	610138216	24	7-124424548-OXX	WHT	7	J1-15	960058	
14	P1-A14	610138216	↑	↑	BLK	↑	J1-16	960058	
15	P1-A15	610138216	24	7-124424548-OXX	WHT	8	J1-17	960058	
16	P1-A16	610138216	↑	↑	BLK	↑	J1-18	960058	
17	P1-A17	610138216	24	7-124024548-OXX	BLK	-	J1-19	960058	
18	P1-B1	610138216	24	7-124024548-OXX	BLK	-	J1-20	960058	
19	P1-B2	610138216	24	7-124424548-OXX	BLK	9	J1-21	960058	
20	P1-B3	610138216	↑	↑	WHT	↑	J1-22	960058	
21	P1-B4	610138216	24	7-124424548-OXX	WHT	10	J1-23	960058	
22	P1-B5	610138216	↑	↑	BLK	↑	J1-24	960058	
23	P1-B6	610138216	24	7-124424548-OXX	WHT	11	J1-25	960058	
24	P1-B7	610138216	↑	↑	BLK	↑	J1-26	960058	
25	P1-B8	610138216	24	7-124424548-OXX	WHT	12	J1-27	960058	
26	P1-B9	610138216	↑	↑	BLK	↑	J1-28	960058	
27	P1-B10	610138216	24	7-124424548-OXX	WHT	13	J1-29	960058	
28	P1-B11	610138216	↑	↑	BLK	↑	J1-30	960058	
29	P1-B12	610138216	24	7-124424548-OXX	WHT	14	J1-31	960058	
30	P1-B13	610138216	↑	↑	BLK	↑	J1-32	960058	
31	P1-B14	610138216	24	7-124424548-OXX	WHT	15	J1-33	960058	
32	P1-B15	610138216	↑	↑	BLK	↑	J1-34	960058	
33	P1-B16	610138216	24	7-124424548-OXX	WHT	16	J1-35	960058	
34	P1-B17	610138216	↑	↑	BLK	↑	J1-36	960058	
35	P1-B18	610138216	24	7-124424548-OXX	WHT	17	J1-37	960058	
36	P1-B19	610138216	↑	↑	BLK	↑	J1-38	960058	
37	P1-C1	610138216	24	7-124024548-OXX	BLK	-	J1-39	960058	
38	P1-C2	610138216	24	7-124424548-OXX	WHT	18	J1-42	960058	
39	P1-C3	610138216	↑	↑	BLK	↑	J1-43	960058	
40	P1-C4	610138216	24	7-124424548-OXX	WHT	19	J1-44	960058	
41	P1-C5	610138216	↑	↑	BLK	↑	J1-45	960058	
42	P1-C6	610138216	24	7-124424548-OXX	WHT	20	J1-46	960058	
43	P1-C7	610138216	↑	↑	BLK	↑	J1-47	960058	
44	P1-C8	610138216	24	7-124424548-OXX	WHT	21	J1-48	960058	
45	P1-C9	610138216	↑	↑	BLK	↑	J1-49	960058	
46	P1-C10	610138216	24	7-124424548-OXX	WHT	22	J1-50	960058	
47	P1-C11	610138216	↑	↑	BLK	↑	J1-51	960058	
48	P1-C12	610138216	24	7-124424548-OXX	WHT	23	J1-52	960058	
49	P1-C13	610138216	↑	↑	BLK	↑	J1-53	960058	

Run #	From Location (Conn - Pin)	From Contact	Wire AWG	Wire/Patchcord P/N	Wire Color	Wire Group	To Location (Conn-Pin)	To Contact	Notes
50	P1-C14	610138216	24	7-124424548-OXX	WHT	24	J1-54	960058	
51	P1-C15	610138216	↑	↑	BLK	↑	J1-55	960058	
52	P1-C16	610138216	24	7-124424548-OXX	WHT	25	J1-56	960058	
53	P1-C17	610138216	↑	↑	BLK	↑	J1-57	960058	
54	P1-C18	610138216	24	7-124024548-OXX	BLK	-	J1-58	960058	
55	P1-C19	610138216	24	7-124024548-OXX	BLK	-	J1-59	960058	
56	P1-D1	610138216	24	7-124424548-OXX	BLK	26	J1-60	960058	
57	P1-D2	610138216	↑	↑	WHT	↑	J1-61	960058	
58	P1-D3	610138216	24	7-124424548-OXX	WHT	27	J1-62	960058	
59	P1-D4	610138216	↑	↑	BLK	↑	J1-63	960058	
60	P1-D5	610138216	24	7-124424548-OXX	WHT	28	J1-64	960058	
61	P1-D6	610138216	↑	↑	BLK	↑	J1-65	960058	
62	P1-D7	610138216	24	7-124424548-OXX	WHT	29	J1-66	960058	
63	P1-D8	610138216	↑	↑	BLK	↑	J1-67	960058	
64	P1-D9	610138216	24	7-124424548-OXX	WHT	30	J1-68	960058	
65	P1-D10	610138216	↑	↑	BLK	↑	J1-69	960058	
66	P1-D11	610138216	24	7-124424548-OXX	WHT	31	J1-70	960058	
67	P1-D12	610138216	↑	↑	BLK	↑	J1-71	960058	
68	P1-D13	610138216	24	7-124424548-OXX	WHT	32	J1-72	960058	
69	P1-D14	610138216	↑	↑	BLK	↑	J1-73	960058	
70	P1-D15	610138216	24	7-124424548-OXX	WHT	33	J1-74	960058	
71	P1-D16	610138216	↑	↑	BLK	↑	J1-75	960058	
72	P1-D17	610138216	24	7-124424548-OXX	WHT	34	J1-76	960058	
73	P1-D18	610138216	↑	↑	BLK	↑	J1-77	960058	
74	P1-D19	610138216	24	7-124024548-OXX	BLK	-	J1-78	960058	