

Run #	From Connector	From Pin	Contact	Signal Desc	Wire AWG	Wire Patchcord P/N	Length (in)	Wire Color	T/P#	To Connector	To Pin	Signal Desc	Contact	Label P/N	Notes
1	Connector	D1	610138216	CH 3+	24		- (111)	WHT			E32	-	270009	_	
2		D2	610138216	CH 3-	24	7-124424536-XXX	-	BLK	1		E31	-	270009	-	1
3		C1	610138216	CH 2+	24	7 4 2 4 4 2 4 5 2 6 3 3 3 3	-	WHT	_		D32	-	270009	-	
4		C2	610138216	CH 2-	24	7-124424536-XXX	-	BLK	2		D31	-	270009	-	
5		B1	610138216	CH 1+	24	7 124424526 VVV	-	WHT			C32	-	270009	-	
6		B2	610138216	CH 1-	24	7-124424536-XXX	-	BLK	3		C31	-	270009	-	
7		A1	610138216	CH 0+	24	7-124424536-XXX	-	WHT	4		B32	-	270009	-	
8		A2	610138216	CH 0-	24	7-124424330-888	-	BLK	4		B31	-	270009	-	
9		D3	610138216	COM 0+	24	7-124424536-XXX	-	WHT	5		A32	-	270009	-	
10		C3	610138216	COM 0-	24	7-124424330-XXX	-	BLK	,		A31	-	270009	-	
11		D4	610138216	CH 7+	24	7-124424536-XXX	-	WHT	6		E30	-	270009	-	
12		D5	610138216	CH 7-	24	7 124424330 7777	-	BLK	Ů		E29	-	270009	-	
13		C4	610138216	CH 6+	24	7-124424536-XXX	-	WHT	7		D30	-	270009	-	
14		C5	610138216	CH 6-	24	7 121121330 7777	-	BLK	,		D29	-	270009	-	
15		B4	610138216	CH 5+	24	7-124424536-XXX	-	WHT	8	160 DIN	C30	-	270009	-	- - -
16		B5	610138216	CH 5-	24		-	BLK			C29	-	270009	-	
17		A4	610138216	CH 4+	24	7-124424536-XXX 7-124424536-XXX	-	WHT	10		B30	-	270009	-	
18		A5	610138216	CH 4-	24		-	BLK			B29	-	270009	-	
19		B3	610138216	COM 1+	24		-	WHT			A30	-	270009	-	
20	VPC RCVR	A3	610138216	COM 1-	24		-	BLK			A29	-	270009	-	CABLE 4
21	MODULE	D6	610138216	CH 11+	24	7-124424536-XXX	-	WHT	11		E28	-	270009	-	
22	-	D7	610138216	CH 11-	24		-	BLK			E27	-	270009	-	
23		C6	610138216	CH 10+	24	7-124424536-XXX	-	WHT	12		D28	-	270009	-	
24		C7	610138216	CH 10-			-	BLK			D27	-	270009	-	
25 26		B6 B7	610138216 610138216	CH 9+ CH 9-	24	7-124424536-XXX	-	WHT BLK	13		C28 C27	-	270009 270009	-	
27		A6	610138216	CH 8+	24	7-124424536-XXX	_	WHT	14	5	B28	_	270009	_	
28		A7	610138216	CH 8-	24			BLK			B27	-	270009	-	
29		D8	610138216	COM 2+	24		_	WHT			A28	-	270009	_	
30		C8	610138216	COM 2-	24	7-124424536-XXX	_	BLK 15	15		A27	_	270009	_	
31	D9 D10 C9		610138216	CH 15+	24	7-124424536-XXX	_	WHT	16		E26	_	270009	-	
32			610138216	CH 15-	24		-	BLK			E25	_	270009	_	
33			610138216	CH 14+	24	7-124424536-XXX	-	WHT			D26	-	270009	_	
34			610138216	CH 14-	24		_	BLK			D25	-	270009	_	
35		B9 610138216 CH 13+ 24	- 404404506 V00V	-	WHT			C26	-	270009	-				
36		B10	610138216	CH 13-	24	7-124424536-XXX	-	BLK	18		C25	-	270009	-	
37	]	A9	610138216	CH 12+	24	7 424424525	-	WHT	4.0		B26	-	270009	-	
38	]	A10	610138216	CH 12-	24	7-124424536-XXX	-	BLK	19		B25	-	270009	-	
39	]	B8	610138216	COM 3+	24	7.424424522	-	WHT	20		A26	-	270009	-	
40		A8	610138216	COM 3-	24	7-124424536-XXX	-	BLK	20		A25	-	270009	-	

Run#	From	From Pin	Contact	Signal Desc	Wire	Wire	Length	Wire Color	T/P#	To Connector	To Pin	Signal Desc	Contact	Label P/N	Notes
Null #	Connector	TIOIIITIII	Contact	Signal Desc	AWG	Patchcord P/N	(in)	WITE COTOT	1/1 #	To confiector	TO FIII	Signal Desc	Contact	Label F/IV	Notes
41		D11	610138216	CH 19+	24	7-124424536-XXX	-	WHT	21		E24	-	270009	-	
42		D12	610138216	CH 19-	24	7-124424550-XXX	-	BLK	21		E23	-	270009	-	
43		C11	610138216	CH 18+	24	7-124424536-XXX	-	WHT	22		D24	-	270009	-	<b>」</b> │
44		C12	610138216	CH 18-	24	7 124424330 XXX	-	BLK	22		D23	-	270009	-	
45		B11	610138216	CH 17+	24	7-124424536-XXX	-	WHT	23		C24	-	270009	-	
46		B12	610138216	CH 17-	24	7 124424330 XXX	-	BLK	23		C23	-	270009	-	
47		A11	610138216	CH 16+	24	7-124424536-XXX	-	WHT	24		B24	-	270009	-	
48		A12	610138216	CH 16-	24	7-124424330-XXX	-	BLK	24		B23	-	270009	-	
49		D13	610138216	COM 4+	24	7-124424536-XXX	-	WHT	25		A24	-	270009	-	
50		C13	610138216	COM 4-	24	7-124424330 XXX	-	BLK	2.5		A23	-	270009	-	
51		D14	610138216	CH 23+	24	7-124424536-XXX	-	WHT	26		E22	-	270009	-	
52		D15	610138216	CH 23-	24	7-124424330-888	-	BLK	20		E21	-	270009	-	
53		C14	610138216	CH 22+	24	7 124424526 VVV	-	WHT	27		D22	-	270009	-	CABLE 3
54		C15	610138216	CH 22-	24	7-124424536-XXX	-	BLK	21		D21	-	270009	-	
55		B14	610138216	CH 21+	24	7 124424526 VVV	-	WHT	28		C22	-	270009	-	
56		B15	610138216	CH 21-	24	7-124424536-XXX	-	BLK	20		C21	-	270009	-	
57		A14	610138216	CH 20+	24		-	WHT	29		B22	=	270009	-	
58		A15	610138216	CH 20-	24		-	BLK			B21	-	270009	-	
59		B13	610138216	COM 5+	24	7-124424536-XXX	-	WHT	30		A22	-	270009	-	
60	VPC RCVR	A13	610138216	COM 5-	24		-	BLK	50		A21	-	270009	-	
61	MODULE	D16	610138216	CH 27+	24	7-124424536-XXX	-	WHT	21	160 DIN	E20	-	270009	1	
62		D17	610138216	CH 27-	24	/-124424556-XXX	1	BLK	31		E19	-	270009	ı	
63		C16	610138216	CH 26+	24	7 124424E26 VVV	1	WHT	22		D20	-	270009	ı	
64		C17	610138216	CH 26-	24	7-124424536-XXX	ı	BLK	32		D19	-	270009	1	
65		B16	610138216	CH 25+	24	7 124424526 VVV	ı	WHT	22		C20	-	270009	1	
66		B17	610138216	CH 25-	24	7-124424536-XXX	-	BLK	33		C19	-	270009	-	
67		A16	610138216	CH 24+	24	7 124424E26 VVV	_	WHT	34		B20	-	270009	-	
68		A17	610138216	CH 24-	24	7-124424536-XXX	_	BLK	54		B19	-	270009	-	
69		D18	610138216	COM 6+	6+ 24 7 42424526 200	-	WHT	35		A20	1	270009	- 1	]	
70		C18	610138216	COM 6-	24	7-124424536-XXX	-	BLK	35		A19	-	270009	-	
71		D19	610138216	CH 31+	24	7 424424526 777	-	WHT	36		E18	-	270009	-	
72		D20	610138216	CH 31-	24	7-124424536-XXX	-	BLK	36		E17	-	270009	-	
73		C19	610138216	CH 30+	24	7 424424526 VVV	-	WHT	27		D18	-	270009	-	
74		C20	610138216	CH 30-	24	7-124424536-XXX	-	BLK	37		D17	-	270009	1	
75		B19	610138216	CH 29+	24	7-124424536-XXX	-	WHT	20		C18	-	270009	1	
76		B20	610138216	CH 29-	24		-	BLK	38		C17	-	270009	-	
77		A19	610138216	CH 28+	24	7-124424536-XXX	-	WHT	39		B18	-	270009	-	
78		A20	610138216	CH 28-	24		-	BLK			B17	-	270009	-	
79		B18	610138216	COM 7+	24		-	WHT	40	1	A18	-	270009	-	
80		A18	610138216	COM 7-	24	7-124424536-XXX	_	BLK	40		A17	-	270009	-	

## **CUSTOMER DRAWING - CUSTOMER DRAWING - CUSTOMER DRAWING**

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VIRGINIA PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOMER ONLY.
THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED.

DWG.NO. 540069110X40 CAGE CODE 18117 scale NONE SHEET 2 OF 3

3

_	4	3	2	1			
D			From Wire U	D			
C B	Sun   Connector   From Pin   Contact   Signal Desc   AWG   Patchcord P/N   (6)	Wire Color   T/P #   To Connector   To Pin   Signal Desc   Contact   Label P/N   Notes	Run # Connector   From Pin   Contact   Signal Desc   Wire   AWG   Patchcord P/N	Mire Color T/P # To Connector To Pin Signal Desc Contact Label P/N Notes			
A	4	DO NOT SCALE DRAWING	THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPER PANEL CORPORATION AND IS SUBMITTED FOR USE BY THE CUSTOI THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WH	MER ONLY. HOLE OR IN PART SIZE   SCALE   CAGE CODE   SHEET			