


DO NOT SCALE DRAWING

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF VPC AND IS PERMITTED FOR USE BY THE CUSTOMER ONLY. THE DATA SHALL NOT BE DUPLICATED, USED, OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO MAINTAIN THE EQUIPMENT PROVIDED. CONSULT WITH VPC ENGINEERING IF MORE DETAIL IS REQUIRED.

REV	DESCRIPTION	DATE	ENGINEER
H	ECN # 14340	7/10/24	M SALE



2. MATING ITA MODULE 510151105
 MATING ITA PATCHCORDS: 7-121424000-036 (78)
 7-121924000-036 (2)

1. FOR MORE INFORMATION VISIT VPC.COM

NOTES:

STRAIN RELIEF
 VPC P/N: 510109349

STRAIN RELIEF
 VPC P/N: 510150115

VPC P/N P/N WHERE X =	LENGTH XX.XX"
1	20.00" [508]
2	36.00" [914]
6	48.00" [1219]
9	60.00" [1524]
5	72.00" [1829]

RELATIVE CONNECTOR POSITIONS
 AND WIRE ROUTING ARE GENERIC
 AND MAY VARY WITH PINOUT

DIMENSIONS ARE SHOWN AS:
 [MILLIMETERS]
 INCHES

CUSTOMER DRAWING

CBA AGLNT 34950A T/P

DWG.NO. **540116020X40** REV **H**

SIZE B	SCALE NONE	CAGE CODE 18117	SHEET 1 OF 1
-----------	---------------	--------------------	-----------------

4 3 2 1

4 3 2 1

Run #	From Location (Conn - Pin)	Wire AWG	Wire/Patchcord P/N	Wire Color	To Location (Conn-Pin)	To Contact
1	P1-A1	24 T/P	7-124424547-XXX	WHT	J1-1	960057
2	P1-A2	↑	↑	BLK	J1-2	960057
3	P1-A3	24 T/P	7-124424547-XXX	WHT	J1-3	960057
4	P1-A4	↑	↑	BLK	J1-4	960057
5	P1-A5	24 T/P	7-124424547-XXX	WHT	J1-5	960057
6	P1-A6	↑	↑	BLK	J1-6	960057
7	P1-A7	24 T/P	7-124424547-XXX	WHT	J1-7	960057
8	P1-A8	↑	↑	BLK	J1-8	960057
9	P1-A9	24 T/P	7-124424547-XXX	WHT	J1-9	960057
10	P1-A10	↑	↑	BLK	J1-10	960057
11	P1-A11	24 T/P	7-124424547-XXX	WHT	J1-11	960057
12	P1-A12	↑	↑	BLK	J1-12	960057
13	P1-A13	24 T/P	7-124424547-XXX	WHT	J1-13	960057
14	P1-A14	↑	↑	BLK	J1-14	960057
15	P1-A15	24 T/P	7-124424547-XXX	WHT	J1-15	960057
16	P1-A16	↑	↑	BLK	J1-16	960057
17	P1-A17	24 T/P	7-124424547-XXX	WHT	J1-17	960057
18	P1-A18	↑	↑	BLK	J1-18	960057
19	P1-A19	24 T/P	7-124424547-XXX	WHT	J1-19	960057
20	P1-A20	↑	↑	BLK	J1-20	960057
21	P1-A21	24 T/P	7-124424547-XXX	WHT	J1-21	960057
22	P1-A22	↑	↑	BLK	J1-22	960057
23	P1-A23	24 T/P	7-124424547-XXX	WHT	J1-23	960057
24	P1-A24	↑	↑	BLK	J1-24	960057
25	P1-A25	24 T/P	7-124424547-XXX	WHT	J1-25	960057
26	P1-A26	↑	↑	BLK	J1-26	960057
27	P1-A27	24 T/P	7-124424547-XXX	WHT	J1-27	960057
28	P1-A28	↑	↑	BLK	J1-28	960057
29	P1-A29	24 T/P	7-124424547-XXX	WHT	J1-29	960057
30	P1-A30	↑	↑	BLK	J1-30	960057
31	P1-A31	24 T/P	7-124424547-XXX	WHT	J1-31	960057
32	P1-A32	↑	↑	BLK	J1-32	960057
33	P1-A33	24 T/P	7-124424547-XXX	WHT	J1-33	960057
34	P1-A34	↑	↑	BLK	J1-34	960057
35	P1-A35	24 T/P	7-124424547-XXX	WHT	J1-35	960057
36	P1-A36	↑	↑	BLK	J1-36	960057
37	P1-A37	24 T/P	7-124424547-XXX	WHT	J1-37	960057
38	P1-A38	↑	↑	BLK	J1-38	960057

Run #	From Location (Conn - Pin)	Wire AWG	Wire/Patchcord P/N	Wire Color	To Location (Conn-Pin)	To Contact
39	P1-A39	24 T/P	7-124424547-XXX	WHT	J1-39	960057
40	P1-A40	↑	↑	BLK	J1-40	960057
41	P1-A41	24 T/P	7-124424547-XXX	WHT	J1-41	960057
42	P1-A42	↑	↑	BLK	J1-42	960057
43	P1-A43	24 T/P	7-124424547-XXX	WHT	J1-43	960057
44	P1-A44	↑	↑	BLK	J1-44	960057
45	P1-A45	24 T/P	7-124424547-XXX	WHT	J1-45	960057
46	P1-A46	↑	↑	BLK	J1-46	960057
47	P1-A47	24 T/P	7-124424547-XXX	WHT	J1-47	960057
48	P1-A48	↑	↑	BLK	J1-48	960057
49	P1-B1	24 T/P	7-124424547-XXX	WHT	J1-49	960057
50	P1-B2	↑	↑	BLK	J1-50	960057
51	P1-B3	24 T/P	7-124424547-XXX	WHT	J1-51	960057
52	P1-B4	↑	↑	BLK	J1-52	960057
53	P1-B5	24 T/P	7-124424547-XXX	WHT	J1-53	960057
54	P1-B6	↑	↑	BLK	J1-54	960057
55	P1-B7	24 T/P	7-124424547-XXX	WHT	J1-55	960057
56	P1-B8	↑	↑	BLK	J1-56	960057
57	P1-B9	24 T/P	7-124424547-XXX	WHT	J1-57	960057
58	P1-B10	↑	↑	BLK	J1-58	960057
59	P1-B11	24 T/P	7-124424547-XXX	WHT	J1-59	960057
60	P1-B12	↑	↑	BLK	J1-60	960057
61	P1-B13	24 T/P	7-124424547-XXX	WHT	J1-61	960057
62	P1-B14	↑	↑	BLK	J1-62	960057
63	P1-B15	24 T/P	7-124424547-XXX	WHT	J1-63	960057
64	P1-B16	↑	↑	BLK	J1-64	960057
65	P1-B17	24 T/P	7-124424547-XXX	WHT	J1-65	960057
66	P1-B18	↑	↑	BLK	J1-66	960057
67	P1-B19	24 T/P	7-124424547-XXX	WHT	J1-67	960057
68	P1-B20	↑	↑	BLK	J1-68	960057
69	P1-B21	24 T/P	7-124424547-XXX	WHT	J1-69	960057
70	P1-B22	↑	↑	BLK	J1-70	960057
71	P1-B23	24 T/P	7-124424547-XXX	WHT	J1-71	960057
72	P1-B24	↑	↑	BLK	J1-72	960057
73	P1-B25	24 T/P	7-124424547-XXX	WHT	J1-73	960057
74	P1-B26	↑	↑	BLK	J1-74	960057
75	P1-B27	24 T/P	7-124424547-XXX	WHT	J1-75	960057
76	P1-B28	↑	↑	BLK	J1-76	960057
77	P1-B29	24 T/P	7-124424547-XXX	WHT	J1-77	960057
78	P1-B30	↑	↑	BLK	J1-78	960057

Run #	From Location (Conn - Pin)	Wire AWG	Wire/Patchcord P/N	Wire Color	To Location (Conn-Pin)	To Contact
79	P1-B31	24 T/P	7-124424547-XXX	WHT	J2-1	960057
80	P1-B32	↑	↑	BLK	J2-2	960057
81	P1-B33	24 T/P	7-124424547-XXX	WHT	J2-3	960057
82	P1-B34	↑	↑	BLK	J2-4	960057
83	P1-B35	24 T/P	7-124424547-XXX	WHT	J2-5	960057
84	P1-B36	↑	↑	BLK	J2-6	960057
85	P1-B37	24 T/P	7-124424547-XXX	WHT	J2-7	960057
86	P1-B38	↑	↑	BLK	J2-8	960057
87	P1-B39	24 T/P	7-124424547-XXX	WHT	J2-9	960057
88	P1-B40	↑	↑	BLK	J2-10	960057
89	P1-B41	24 T/P	7-124424547-XXX	WHT	J2-11	960057
90	P1-B42	↑	↑	BLK	J2-12	960057
91	P1-B43	24 T/P	7-124424547-XXX	WHT	J2-13	960057
92	P1-B44	↑	↑	BLK	J2-14	960057
93	P1-B45	24 T/P	7-124424547-XXX	WHT	J2-15	960057
94	P1-B46	↑	↑	BLK	J2-16	960057
95	P1-B47	24 T/P	7-124424547-XXX	WHT	J2-17	960057
96	P1-B48	↑	↑	BLK	J2-18	960057
97	P1-C1	24 T/P	7-124424547-XXX	WHT	J2-19	960057
98	P1-C2	↑	↑	BLK	J2-20	960057
99	P1-C3	24 T/P	7-124424547-XXX	WHT	J2-21	960057
100	P1-C4	↑	↑	BLK	J2-22	960057
101	P1-C5	24 T/P	7-124424547-XXX	WHT	J2-23	960057
102	P1-C6	↑	↑	BLK	J2-24	960057
103	P1-C7	24 T/P	7-124424547-XXX	WHT	J2-25	960057
104	P1-C8	↑	↑	BLK	J2-26	960057
105	P1-C9	24 T/P	7-124424547-XXX	WHT	J2-27	960057
106	P1-C10	↑	↑	BLK	J2-28	960057
107	P1-C11	24 T/P	7-124424547-XXX	WHT	J2-29	960057
108	P1-C12	↑	↑	BLK	J2-30	960057
109	P1-C13	24 T/P	7-124424547-XXX	WHT	J2-31	960057
110	P1-C14	↑	↑	BLK	J2-32	960057
111	P1-C15	24 T/P	7-124424547-XXX	WHT	J2-33	960057
112	P1-C16	↑	↑	BLK	J2-34	960057
113	P1-C17	24 T/P	7-124424547-XXX	WHT	J2-35	960057
114	P1-C18	↑	↑	BLK	J2-36	960057
115	P1-C19	24 T/P	7-124424547-XXX	WHT	J2-37	960057
116	P1-C20	↑	↑	BLK	J2-38	960057

Run #	From Location (Conn - Pin)	Wire AWG	Wire/Patchcord P/N	Wire Color	To Location (Conn-Pin)	To Contact
117	P1-C21	24 T/P	7-124424547-XXX	WHT	J2-39	960057
118	P1-C22	↑	↑	BLK	J2-40	960057
119	P1-C23	24 T/P	7-124424547-XXX	WHT	J2-41	960057
120	P1-C24	↑	↑	BLK	J2-42	960057
121	P1-C25	24 T/P	7-124424547-XXX	WHT	J2-43	960057
122	P1-C26	↑	↑	BLK	J2-44	960057
123	P1-C27	24 T/P	7-124424547-XXX	WHT	J2-45	960057
124	P1-C28	↑	↑	BLK	J2-46	960057
125	P1-C29	24 T/P	7-124424547-XXX	WHT	J2-47	960057
126	P1-C30	↑	↑	BLK	J2-48	960057
127	P1-C31	24 T/P	7-124424547-XXX	WHT	J2-49	960057
128	P1-C32	↑	↑	BLK	J2-50	960057
129	P1-C33	24 T/P	7-124424547-XXX	WHT	J2-51	960057
130	P1-C34	↑	↑	BLK	J2-52	960057
131	P1-C35	24 T/P	7-124424547-XXX	WHT	J2-53	960057
132	P1-C36	↑	↑	BLK	J2-54	960057
133	P1-C37	24 T/P	7-124424547-XXX	WHT	J2-55	960057
134	P1-C38	↑	↑	BLK	J2-56	960057
135	P1-C39	24 T/P	7-124424547-XXX	WHT	J2-57	960057
136	P1-C40	↑	↑	BLK	J2-58	960057
137	P1-C41	24 T/P	7-124424547-XXX	WHT	J2-59	960057
138	P1-C42	↑	↑	BLK	J2-60	960057
139	P1-C43	24 T/P	7-124424547-XXX	WHT	J2-61	960057
140	P1-C44	↑	↑	BLK	J2-62	960057
141	P1-C45	24 T/P	7-124424547-XXX	WHT	J2-63	960057
142	P1-C46	↑	↑	BLK	J2-64	960057
143	P1-C47	24 T/P	7-124424547-XXX	WHT	J2-65	960057
144	P1-C48	↑	↑	BLK	J2-66	960057
145	P1-D1	24 T/P	7-124424547-XXX	WHT	J2-67	960057
146	P1-D2	↑	↑	BLK	J2-68	960057
147	P1-D3	24 T/P	7-124424547-XXX	WHT	J2-69	960057
148	P1-D4	↑	↑	BLK	J2-70	960057
149	P1-D5	24 T/P	7-124424547-XXX	WHT	J2-71	960057
150	P1-D6	↑	↑	BLK	J2-72	960057
151	P1-D7	24 T/P	7-124424547-XXX	WHT	J2-73	960057
152	P1-D8	↑	↑	BLK	J2-74	960057
153	P1-D9	24 T/P	7-124424547-XXX	WHT	J2-75	960057
154	P1-D10	↑	↑	BLK	J2-76	960057
155	P1-D11	24 T/P	7-124424547-XXX	WHT	J2-77	960057
156	P1-D12	↑	↑	BLK	J2-78	960057
157	P1-D13	24 T/P	7-124924000-XXX	WHT	J1 BACKSHELL	266808
158	P1-D14	↑	7-124924000-XXX	WHT	J2 BACKSHELL	266808